

Code	Emergency Call Type
R	Residential Structure Fires
C	Commercial / Industrial Fires
G	Wildland / Vegetation Fires
V	Vehicle Extrication / Highway Incidents
H	High Occupancy (Hospital, School, Nursing Home)
W	Water Rescue
T	Train Derailment / Accident
M	Mass Casualty Incident
A	Active Violence / Bomb Threat
S	Water Shuttle / Tanker

Fire Department Name NORTH BERRIEN	Box Alarm Type Structure Fire (Residential)	Box Alarm # 1-R
--	--	---------------------------

Mutual Aid Box Alarm	Location or Area City of Coloma
----------------------	---

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
2 NBFR Engines	NBFR Engine 4121	Benton Twp. Engine/Manpower	Lawerence Engine/manpower	Buchanan Twp. Engine/manpower	Niles City Engine/manpower	Engine Strike Team Cass CO
NBFR Chief	Hartford Engine/Manpower	ST Joe Twp. 2 Engine/Manpower	Berrien Springs Engine/Manpower	Lake Twp. Engine/Manpower		Red Cross
Watervilet Ladder	Hatford Chief	ST Joe Twp. 2 Chief	Berrien Springs Chief	Lake Chief		
WFD Chief	Covert Engine/Manpower	Sodus Engine/Manpower	Bangor Engine/Manpower			
Great Lakes Drone						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Benton Twp. Engine/Manpower	Lawerence Engine/Manpower	Buchanan Twp. Engine/Manpower	Niles City Engine/manpower	Chikaming Engine/Manpower	
	Sister Lakes Tanker/Manpower					

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Structure Fire (Residential)	Box Alarm # 2-R
--	--	---------------------------

Mutual Aid Box Alarm	Location or Area Coloma Twp. South of Hagar Shore
----------------------	---

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
2 NBFR Engines	NBFR Engine 4121	Benton Twp. Engine/manpower	Lawrence Tanker/manpower	Buchanan Twp. Tanker/manpower	Niles City Engine/manpower	Cass Engine Strike Team
2 NBFR Tankers	Benton Twp. Engine/Manpower	ST Joe Twp. 2 Engine/Manpower	Berrien Springs Engine/Manpower	Bridgman Engine/manpower	Weesaw Tanker/manpower	Red Cross
NBFR Chief	Covert Engine/Manpower	ST Joe Twp. 2 Chief	Berrien Springs Chief	Bridgman Chief		Consider Water Shuttle Boxcard
Watervilet Ladder	Covert Chief	Sodus Engine/Manpower	Bangor Tanker/Manpower			
WFD Chief		Covert Engine/Manpower	Royalton Engine/Manpower			
Great Lakes Drone						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Benton Twp, Engine/Manpower	Lawrence Tanker/Manpower	Buchanan Twp. Tanker/Manpower	Niles City Engine/manpower	Chikaming Engine/Manpower	
	Sister Lakes Tanker/Manpower	Royalton Engine/Manpower	Bridgman Engine/Manpower	Weesaw Twp. Tanker/Manpower	New Buffalo Twp. Tanker/Manpower	

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name North Berrien Fire Rescue	Box Alarm Type Structure Fire (Residential)	Box Alarm # 3-R
--	--	---------------------------

Mutual Aid Box Alarm	Location or Area Hagar Twp South of Hagar Shore Rd.
----------------------	---

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
2 NBFR Engines	Watervliet Ladder/Manpower	Hartford Engine/Manpower	Sodus Engine/Manpower	Bridgman Engine/Manpower	Niles City Engine/Manpower	Cass Engine Strike Team
2 NBFR Tankers	Bangor Tanker/Manpower	Sister Lakes Tanker/Manpower	Berrien Springs Engine/Manpower	Buchanan Twp. Engine/Manpower	Weesaw Tanker/Manpower	Red Cross
NBFR Chief	Covert Engine/Manpower	ST Joe Twp. 2 Engine/Manpower	Berrien Springs Chief			Consider Water Shuttle Boxcard
Benton Twp. Engine/Manpower	Covert Chief	ST Joe Twp. 2 Chief	Royalton Tanker/Manpower			
Benton Twp. Chief		Lawrence Engine/Manpower				
Great Lakes Drone						

CHANGE OF QUARTERS TO SAMPLE STATION - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Hartford Engine/Manpower	Sodus Engine/Manpower	Buchanan Twp Tanker/Manpower	Niles City Engine/Manpower	Chikaming Engine/Manpower	
	Sister Lakes Tanker/Manpower	Royalton Tanker/Manpower	Bridgman Engine/Manpower	Weesaw Tanker/Manpower	New Buffalo Twp. Tanker/Manpower	

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name North Berrien Fire Rescue	Box Alarm Type Structure Fire (Residential)	Box Alarm # 4-R
--	--	---------------------------

Mutual Aid Box Alarm	Location or Area Hagar Twp North of Hagar Shore Rd.
----------------------	---

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
2 NBFR Engines	Watervliet Engine/Manpower	Hartford Engine/Manpower	Sodus Engine/Manpower	Bridgman Engine/Manpower	Niles City Engine/Manpower	Cass Engine Strike Team
2 NBFR Tankers	Bangor Tanker/Manpower	Sister Lakes Tanker/Manpower	Berrien Springs Engine/Manpower	Buchanan Twp. Engine/Manpower	Weesaw Tanker/Manpower	Red Cross
NBFR Chief	Benton Twp. Engine/Manpower	ST Joe Twp. 2 Engine/Manpower	Berrien Springs Chief			Consider Water Shuttle Boxcard
Covert Engine/Manpower	SHAES Ladder/Manpower	ST Joe Twp. 2 Chief	Royalton Tanker/Manpower			
Covert Chief		Lawrence Engine/Manpower				
Great Lakes Drone						

CHANGE OF QUARTERS TO SAMPLE STATION - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Hartford Engine/Manpower	Sodus Engine/Manpower	Buchanan Twp Tanker/Manpower	Niles City Engine/Manpower	Chikaming Engine/Manpower	
	Sister Lakes Tanker/Manpower	Royalton Tanker/Manpower	Bridgman Engine/Manpower	Weesaw Tanker/Manpower	New Buffalo Twp. Tanker/Manpower	

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Commercial / Industrial	Box Alarm # 1-C
Mutual Aid Box Alarm	Location or Area Coloma City and Coloma Township	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
NBFR Engines	Covert Engine/Manpower	ST Joe Twp. 2 Engine/Manpower	Sodus Tanker/Manpower	Chikaming Engine/Manpower	Niles City Engine/manpower	Consider Niles Twp Tanker
NBFR Tankers	Covert Chief	ST Joe Twp. Chief	Berrein Springs Engine/manpower	Buchanan Twp. Tanker/Manpower	Weesaw Tanker/manpower	Cass Engine Strike Team
4160/4172	Benton Twp. Ladder/Manpower	Sister Lakes Tanker/Manpower	Lawrence Engine/Manpower			Consider Ladder Strike Team in place of engine strike team
NBFR Chief	Hartford Ladder/Manpower	Bridgman Ladder/Manpower	Bangor Engine/Manpower			Consider MITRT-5
Watervliet Ladder		Royalton Ladder/Manpower				Consider BC Hazmat
Great Lakes Drone						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Sister Lakes Tanker/Manpower	Sodus Tanker/Manpower	Buchanan Twp. Tanker/Manpower	Niles City Engine/Manpower	Engine from strike team	
	ST Joe Twp 2 Engine/Manpower	Berrein Springs Engine/Manpower	Chikaming Engine/Manpower	Weesaw Tanker/Manpower		

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Commercial / Industrial	Box Alarm # 2-C
Mutual Aid Box Alarm	Location or Area Hagar Township	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
2 NBFR Engines	Covert Engine/Manpower	ST Joe Twp. 2 Engine/manpower	Sodus Tanker/manpower	Chikaming Engine/manpower	Niles City Engine/manpower	Consider Niles Twp Tanker
2 NBFR Tankers	Covert Chief	ST Joe Twp. Chief	Berrein Springs Engine/manpower	Buchanan Twp. Tanker/manpower	Weesaw Tanker/manpower	Cass Engine Strike Team
4160/4172	Watervliet Ladder/Manpower	Sister Lakes Tanker/manpower	Lawerence Tanker/Manpower			Consider Ladder Strike Team in place of engine strike team
NBFR Chief	SHAES Ladder/Manpower	Bridgman Ladder/Manpower	Bangor Tanker/Manpower			Consider MITRT-5
Benton Twp. Ladder/Manpower		Royalton Ladder/Manpower				BC Hazmat
Great Lakes Drone						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Sister Lakes Tanker/Manpower	Sodus Tanker/Manpower	Buchanan Twp. Tanker/Manpower	Niles City Engine/Manpower	Engine from strike team	
	ST Joe Twp 2 Engine/Manpower	Berrein Springs Engine/Manpower	Chikaming Engine/Manpower	Weesaw Tanker/Manpower		

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type High Occupancy (Hospital, School, Nursing Home)	Box Alarm # 1-H
Mutual Aid Box Alarm	Location or Area All	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
NBFR Engines	Covert Engine/Manpower	ST Joe Twp. 2 Engine/manpower	Bridgman Ladder/manpower	SHAES Engine/manpower	Niles City Engine/manpower	Consider MITRT-5
NBFR Chief	Benton Twp. Ladder/Manpower	Sodus Tanker/manpower	Lawerence Tanker/manpower	Buchanan Twp Tanker/manpower.	Weesaw Tanker/manpower	Consider MD -1/2/3
Watervliet Ladder	Benton Twp. Chief	Bangor Engine/Manpower	Berrien Springs Engine/Manpower			Red Cross
Watervliet Chief	Hartford Ladder/Manpower	Royalton Ladder/Manpower	Berrien Springs Chief			Engine Strike Team Cass CO.
Great Lakes Rescue/Drone	Sister Lakes Engine/Manpower	Royalton Chief				Consider MCI Boxcard
Medic-1 2 Units	VBEMS	S.M.C.A.S.				

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	ST Joe Twp. 2 Engine/Manpower	Bridgman Ladder/Manpower	Buchanan Twp. Tanker/Manpower	Niles City Engine/Manpower	Chikaming Engine/Manpower	
	Sodus Tanker/Manpower	Lawerence Tanker/Manpower	SHAES Engine/Manpower	Weesaw Tanker/Manpower	New Buffalo Twp. Tanker/Manpower	

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Wildland / Vegetation Fire	Box Alarm # 1-G
Mutual Aid Box Alarm	Location or Area All	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
4160/4172	Watervliet Brush/Manpower	Covert Brush/Manpower	Royalton Brush/manpower	Lake Brush/Manpower	Cass Co Brush Strike Team	
2 NBFR Tankers	Benton Twp Engine/Manpower	Sister Lakes Brush/Manpower	Hartford Brush/Manpower	Chikaming Brush/Manpower		
NBFR Engine						
NBFR Chief						
4180 Utility & Mule						
Great Lakes Drone						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	ST Joe Twp 2 Engine/Manpower					
	Sodus Tanker/Manpower					

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Vehicle Extrication/Highway	Box Alarm # 1-V
Mutual Aid Box Alarm	Location or Area 94	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
2 NBFR Engines	Watervliet Rescue/Manpower	Covert Rescue/Manpower	Hartford Rescue/Manpower			
NBFR Chief	Benton Twp. Rescue/Manpower					Consider Medical Director
2 NBFR Tankers	MDOT					Consider EMS Strike Force
Great Lakes Rescue	Watervliet Box Chief					Consider Medical Helicopter
Medic-1	Medic-1 second Unit					
	Medic-1 Supervisor					

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Covert Rescue/Manpower	Hartford Rescue/Manpower	Sister Lakes Rescue/Manpower			

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1

800 MHz Fireground as assigned

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Vehicle Extrication/Highway	Box Alarm # 2-V
Mutual Aid Box Alarm	Location or Area 96	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
2 NBFR Engines	Covert Rescue/Manpower	Watervliet Rescue/Manpower	Hartford Rescue/Manpower			
NBFR Chief	Benton Twp. Rescue/Manpower	Watervliet Chief	Hartford Chief			Consider Medical Director
2 NBFR Tankers	MDOT					Consider EMS Strike Force
Great Lakes Rescue	Benton Twp. Box Chief					Consider Medical Helicopter
Medic-1	Medic-1 second unit					
	Medic-1 Supervisor					

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Watervliet Rescue/Manpower	Hartford Rescue/Manpower	Sister Lakes Rescue/Manpower			

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1	800 MHz Fireground as assigned
------------------	--------------------------------

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Water Rescue	Box Alarm # 1-W
Mutual Aid Box Alarm	Location or Area All	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
NBFR Engine	Sister Lakes Water Rescue	Berrien Springs Water Rescue	Chikaming Water Rescue	Niles Water Rescue	India Lake Water Rescue	USCG on Lake Michigan
NBFR Chief	SHAES Water Rescue					USCG Helicopter
NBFR-RIB-1	BCSD Dive Team					
Watervliet Boat						
Great Lakes Boat/Drone						
Medic-1						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Hartford Engine/Manpower					
	Sodus Tanker/Manpower					

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1

800 MHz Fireground as assigned

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Train Derailment / Accident	Box Alarm # 1-T
Mutual Aid Box Alarm	Location or Area Coloma City and Coloma Twp. (ADD MCI IF AMTRACK)	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
NBFR Engines	MITRT-5	Hartford Engine/manpower	Lawerence Tanker/Manpower	Sodus Tanker/Manpower	Buchanan Twp. Tanker/Manpower	BC Hazmat
NBFR Tankers	Benton Twp Engine/Manpower	Sister Lakes Tanker/manpower	ST Joe Twp Engine/Manpower	Berrein Springs Engine/Manpower	Chikaming Engine/Manpower	
NBFR Chief	Covert Engine/Manpower					
Watervliet Engine/Manpower	Covert Chief					
Great Lakes Drone	MCI BOXCARD FOR AMTRACK					
NBFR Brush Trucks						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Hartford Engine/Manpower	Lawerence Tanker/Manpower	Sodus Tanker/Manpower	Buchanan Twp. Tanker/Manpower		
	Sister Lakes Tanker/Manpower	ST Joe Twp Engine/Manpower	Berrein Springs Engine/Manpower	Chikaming Engine/Manpower		

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1

800 MHz Fireground as assigned

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Train Derailment / Accident	Box Alarm # 2-T
Mutual Aid Box Alarm	Location or Area Hagar Township (ADD MCI IF AMTRACK)	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
NBFR Engines	Watervliet Engine/Manpower	Hartford Engine/manpower	Lawerence Tanker/Manpower	Sodus Tanker/Manpower	Buchanan Twp. Tanker/Manpower	BC Hazmat
NBFR Tankers	MITRT-5	Sister Lakes Tanker/manpower	ST Joe Twp Engine/Manpower	Berrein Springs Engine/Manpower	Chikaming Engine/Manpower	
NBFR Chief	Covert Engine/Manpower					
Benton Twp. Engine/Manpower	MCI BOXCARD FOR AMTRACK					
Great Lakes Drone						
NBFR Brush Trucks						

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	Hartford Engine/Manpower	Lawerence Tanker/Manpower	Sodus Tanker/Manpower	Buchanan Twp. Tanker/Manpower		
	Sister Lakes Tanker/Manpower	ST Joe Twp Engine/Manpower	Berrein Springs Engine/Manpower	Chikaming Engine/Manpower		

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1

800 MHz Fireground as assigned

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Mass Casualty Incident	Box Alarm # 1-M
Mutual Aid Box Alarm	Location or Area	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
NBFR Engines	Medic-1 second unit	Three Oaks EMS	Chikaming MFR			BC EOC Activation
NBFR Chief	Medic-1 supervisor	Covert EMS	Niles MFR			Consider Medical Helicopter
Great Lakes Rescue	VBEMS	SHAES EMS	Eau Claire MFR			5th District Medical Team
Medic-1	S.M.C.A.S.	Keeler MFR	Bridgman MFR			Consider School Buses
	Watervliet MFR	Lake MFR	Life EMS			Consider MCI trailer in first Box alarm
	BCMC on Call Physician	County MCI Trailer				

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1

800 MHz Fireground as assigned

Effective Date _____
Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Active Violence/Bomb Threat	Box Alarm # 1-A
Mutual Aid Box Alarm	Location or Area All (ADD MCI FOR AVI)	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
NBFR Engines	Covert Engine/Manpower	ST Joe Twp. 2 Engine/manpower	Bridgman Ladder/Manpower	Bridgman Engine/manpower	Niles City Engine/manpower	BCSD Bomb unit for Bomb/Explosive Threat
NBFR Chief	Benton Twp. Ladder/Manpower	Sodus Tanker/manpower	Lawerence Tanker/manpower	Buchanan Twp. Tanker/manpower	Weesaw Tanker/manpower	
Coloma Twp. PD	Benton Twp. Chief	Bangor Engine/Manpower	Berrien Springs Engine/Manpower			
BCSD	Hartford Enginer/Manpower	Royalton Ladder/Manpower	Berrien Springs Chief			
Great Lakes Rescue	Sister Lakes Engine/Manpower	Royalton Chief	Bangor Engine/Manpower			
Medic-1	MCI Boxcad					

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	
	ST Joe Twp. 2 Engine/Manpower	Bridgman Ladder/Manpower	Buchanan Twp. Tanker/Manpower	Niles City Engine/Manpower	Chikaming Engine/Manpower	
	Sodus Tanker/Manpower	Lawerence Tanker/Manpower	Bridgman Engine/Manpower	Weesaw Tanker/Manpower	New Buffalo Twp. Tanker/Manpower	

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1

800 MHz Fireground as assigned

Effective Date _____
 Authorized Signature _____

Fire Department Name NORTH BERRIEN	Box Alarm Type Water Shuttle / Tanker	Box Alarm # 1-S
Mutual Aid Box Alarm	Location or Area	

INITIAL DISPATCH	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	NOTES
North Berrien Tankers	Watervliet Tanker	Bangor Tanker	Lawerence Tanker	Chikaming Tanker	Weesaw Tanker	Consider Niles Twp. Tanker
NBFR Chief	SHAES Tanker	Sodus Tanker	Buchanan TWP. Tanker	New Buffalo Tanker		
	Sister Lakes Tanker					

CHANGE OF QUARTERS TO NBFR STATION 1 - UNLESS OTHERWISE NOTED

	Box Alarm	2ND Alarm	3RD Alarm	4TH Alarm	5TH Alarm	

AMBULANCE IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

VHF Fireground 1

800 MHz Fireground as assigned

Effective Date _____
Authorized Signature _____